



Native Wildlife Fledging Guide

| Species (<i>Genus/species</i>) | Litters/Year | Young/Litter | Time of Birth | Fledge Age |
|---|--------------|--------------|----------------------------|-------------|
| Raccoon (<i>Procyon lotor</i>) | 1 | 3 to 6 | April | 10-14 weeks |
| Eastern Gray Squirrel (<i>Sciurus carolinensis</i>) | 2 | 1 to 5 | March-April June-August | 10-12 weeks |
| Red Squirrel (<i>Sciurus vulgaris</i>) | 2 | 3 to 8 | March-April June-August | 10-12 weeks |
| Southern Flying Squirrel (<i>Glaucomys volans</i>) | 2 | 3 to 8 | April-May Aug-Sept | 10-12 weeks |
| Striped Skunk (<i>Mephitis mephitis</i>) | 1 | 2 to 10 | May-June | 7-9 weeks |
| Woodchuck (<i>Marmota monax</i>) | 1 | 3 to 8 | April-May | 8-10 weeks |
| Little Brown Bat (<i>Myotis lucifugus</i>) | 1 | 1 | Mid May | 12 weeks |
| Big Brown Bat (<i>Eptesicus fuscus</i>) | 2 | 1 | Mid May | 12 weeks |